Materials Science and Engineering, A153 (1992) 736–737

Author Index of Volumes 152 and 153

Acoff, V. L., 304
Ahmed, T., 31
Albrecht, J., 310
Alexander, D. J., 114
Altstetter, C., 676
Anderson, K., 712
Anton, D. L., 402, 410
Apgar, L. S., 726
Ardell, A. J., 212
Averback, R., 676

Baker, I., 258
Baldwin, R. H., 382
Barrett, C. A., 561
Bartels, A., 444
Barth, E. P., 398
Bavarian, B., 613
Beanland, R., 237
Beaven, P. A., 444
Bendersky, L. A., 41
Biancaniello, F. S., 41
Birringer, R., 679
Boettinger, W. J., 9, 41
Bohn, R., 679
Bowen, P., 486, 508, 628
Brennan, P. C., 635
Brimhall, J. L., 76
Bruemmer, S. M., 76, 416

Cahn, R. W., 227
Cai, W., 295
Cantor, B., 696
Cardona, D. C., 628
Chang, H., 676
Charlot, L. A., 76
Chaudhury, P. K., 37
Chen, G., 597
Chen, S., 370, 691
Chen, X., 370
Cheng, T., 696
Chiba, A., 108
Choe, B. H., 253
Cope, M. T., 508
Crimp, M. A., 335
Cserti, J., 95

Daeubler, M., 310
De Van, J. H., 573
Deve, H. E., 668
Dixon, D., 662
Djanarthany, S., 48
Dollar, M., 160
Doychak, J., 561
Durlu, N., 67
Dymek, S., 160

Earthman, J. C., 240, 646
Es-Souni, M., 444

Evans, A. G., 438
Eylon, D., 726

Fang, J., 138
Fang, L., 370
Feng, C. R., 202, 532
Flower, H. M., 31
Fraser, H. L., 237
Frommeyer, G., 166, 288
Fu, C. L., 470
Fuchs, G. E., 277
Fukaura, K., 641

Gieseke, B., 520
Gill, S. J., 532
Gleiter, H., 679
Grahle, P., 684
Greenberg, B. A., 356
Griffin, R. D., 304
Guha, S., 258
Guo, J., 120

Han, C. S., 247
Han, L., 377
Hanada, S., 108, 349
Harada, K., 247
Harutouni, S., 613
Hashimoto, K., 54
Haubold, T., 679
Hayden, S. Z., 277
Hazzledine, P. M., 189
Helm, D., 310
Henager, Jr., C. H., 416
Hirano, T., 153
Hirth, J. P., 103
Hoagland, R. G., 103
Hofler, J., 676
Horton, J. A., 126, 237
Howell, C. R., 382
Hsiung, L. M., 195, 295
Hu, G., 370
Hwang, S. J., 160

Ibbotson, A. R., 628
Iikubo, T., 602
Inal, O. T., 67
Inui, H., 153
Isobe, S., 591, 602
Ito, K., 153
Ivanov, M. A., 356

Jacobson, R. E., 416
James, A. W., 486
Jang, J. S. C., 264, 525
Jeon, S. J., 392
Jia, T., 317, 422
Jiang, J., 120

Jin, P., 457
Jones, I. P., 387

Kambara, S., 398
Kao, W. H., 635
Kattner, U. R., 9
Kesapradist, J., 641
Khan, A., 567
Khantha, M., 89, 95
Kim, H. K., 240, 646
Kim, H. M., 253
Kimura, M., 54
Kircher, T., 567
Klansky, J. L., 132
Knibloe, J. R., 382, 706
Kolster, B. H., 60
Kremser, Th., 166
Kumagai, T., 349

Larsen, J. M., 499
Lavernia, E. J., 240, 646, 654
Leake, J. A., 227
Lee, H. C., 392
Lee, H. M., 26
Lee, J. H., 253
Li, H., 120
Li, Z. C., 18
Li, Z. X., 182
Liang, X., 646, 654
Lin, D.-L., 208, 364
Liu, C. T., 146, 538
Liu, Z. G., 166
Long, M., 37
Lu, Y., 377
Lutjering, G., 310

Ma, H., 317, 422
Ma, P., 377
Maas, J. H., 60
Maki, K., 591
Maloney, M., 668
Margolin, H., 619
Maruyama, K., 433
Mastuda, K., 722
Matson, D. M., 700
Mavity, J. T., 712
Maziasz, P. J., 322
McKamey, C. G., 322
Meier, G. H., 548
Michael, J. R., 258
Michel, D. J., 202, 532
Mikkola, D. E., 132
Minakawa, K. N., 451
Mitao, S., 451
Moon, I.-G., 341
Morikawa, H., 54
Mukherjee, A. K., 457, 465

Munir, Z. A., 700
Munroe, P. R., 258

Nakagawa, Y. G., 722
Nakano, T., 81
Nash, P., 160
Nemoto, M., 247
Nesbitt, J. A., 561
Newkirk, J., 662
Ngan, A. H. W., 387
Nic, J. P., 132
Nicholas, T., 493, 514
Nishimura, C., 146
Nourbakhsh, S., 619

Oikawa, H., 427, 433
Oliver, W. C., 465
Ono, K., 641

Paffett, M. T., 584
Pao, P. S., 532
Parida, B. K., 493
Park, J. W., 341
Pathiraj, B., 60
Penelle, R., 48
Penton, R. J. T., 508
Pettit, F. S., 548
Pinski, F. J., 1
Pope, D. P., 89, 95
Porter, W. D., 126
Pregger, B. A., 567
Proske, G., 310

Rabin, B. H., 706
Rack, H. J., 37
Radhakrishnan, B., 304
Rale, S. V., 706
Raman, R. V., 706
Ramesh, R., 60
Ravichandran, K. S., 499
Ren, D., 120
Rhee, W. H., 619
Rios, P. R., 736
Ritchie, R. O., 479
Rosenkranz, R., 288
Rosler, J., 438, 684
Russ, S. M., 514

Sahin, O., 619
Sano, T., 247
Saqib, M., 726
Sayashi, M., 591
Schneibel, J. H., 126, 684
Schulson, E. M., 138
Schwarz, R. B., 691
Servant, C., 48
Shah, D. M., 402, 410
Shanabarger, M. R., 608
Shimizu, T., 591, 602
Shioda, M., 591
Shirai, Y., 173
Shiraishi, H., 283
Sikka, V. K., 114, 382, 520, 712
Sluiter, M., 1
Smallman, R. E., 387
Smarsly, W., 288
Sondhi, S., 103
Srinivasan, S., 691
Stocks, G. M., 1
Stoloff, N. S., 195
Stoner, S. L., 465
Stout, J. J., 335
Sun, C., 120
Sun, Y. Q., 189
Sun, Z., 597

Takahashi, T., 433
Takeyama, M., 269, 538
Taylor, T. N., 584
Thompson, A. W., 578
Thompson, R. G., 304
Tian, W. H., 247
Tien, J. K., 398
Tortorelli, P. F., 573
Tsau, C. H., 264, 525
Tsuyama, S., 451
Turchi, P. E. A., 1

Uejo, S., 398
Umakoshi, Y., 81

Venkateswara Rao, K. T., 4
Vinarcik, E. J., 561
Vitek, V., 89, 95

Wadley, H. N. G., 295
Wagner, R., 444
Wang, B., 317, 422
Wang, S., 120
Wang, Z. L., 237
Watanabe, S., 108
Weber, C. H., 668
Weiss, I., 726
Wen, M., 208
Whang, S. H., 18, 182
Wright, R. N., 382, 706
Wu, X., 370
Wunderlich, W., 166

Xiang, L., 120

Yamaguchi, M., 153, 173
Yamane, T., 81
Yamauchi, S., 283
Yang, H. S., 457
Yang, J. M., 635
Yang, R., 227
Yeh, J. W., 264
Yokoshima, S., 722
Yoo, M. H., 470
Yuan, Y., 377

Zamanzadeh, M., 613
Zhang, Y., 364
Zhang, Z., 377, 422
Zhong, Z., 317
Zhou, X., 597
Zou, D., 317, 422

Materials Science and Engineering, A153 (1992) 738–746

Subject Index of Volumes 152 and 153

Age hardening
  age hardening behavior of a hypo-stoichiometric Fe_3Al intermetallic compound, 341
Alloys
  a first-principles study of phase stability in Ni–Al and Ni–Ti alloys, 1
  a study on long-term stability of Ti_3Al–Nb–V–Mo alloy, 422
  a transmission electron microscopy study of dislocation structures in a directionally solidified Ni_3Al-based alloy deformed at 850 °C, 208
  alloy modification of γ-base titanium aluminide for improved oxidation resistance, creep strength and fracture toughness, 451
  an atomistic study of dislocations and their mobility in a model $D0_{22}$ alloy, 89
  an atomistic study of the dislocation core structures and mechanical behavior of a model $D0_{19}$ alloy, 95
  cleavage fracture of ordered intermetallic alloys, 470
  deformation mechanisms and ductility of mechanically alloyed NiAl, 160
  development of castable TiAl alloy for turbine components, 722
  diffusional transport and predicting oxidative failure during cyclic oxidation of β–NiAl alloys, 561
  effect of boron in two phase (NiAl + Ni_3Al) alloy, 253
  effect of copper alloying on the deformation behavior of B2 NiAl intermetallic compounds, 392
  effects of hydrogen in titanium aluminide alloys, 578
  effects of test environment and grain size on the tensile properties of $L1_2$-ordered $(Co,Fe)_3V$ alloys, 146
  elevated-temperature environmental embrittlement and alloy design of $L1_2$ ordered intermetallics, 538
  fatigue and fracture of a Ni_2Cr ordered intermetallic alloy, 532
  improvement of hot workability of Ni_3Al–Cr–Zr–B ordered alloy, 377
  intermetallic Ti–Al–Nb alloys based on strengthening of the orthorhombic phase by ω-type phases, 41
  mechanical alloying of FeAl with Y_2O_3, 684
  microstructural characterization of precipitates formed during high temperature testing and processing of iron-aluminide alloys, 322
  microstructural evolution and tensile properties of titanium-rich TiAl alloy, 269
  microstructure and tensile properties of a Ti_3Al–Nb–Mo–V alloy, 317
  microstructure of Nb_2Al–$NbAl_3$ eutectic alloys produced by unidirectional solidification, 349
  oxidation and mechanical behavior of intermetallic alloys in the Ti–Nb–Al ternary system, 597
  structure/property observations for Al–Ti–Cr alloys near the cubic $(Al,Cr)_3Ti$ phase, 132
  superplasticity in a nickel silicide alloy—microstructural and mechanical correlations, 465
  synthesis of Al/Al_3Ti two-phase alloys by mechanical alloying, 691
  the effect of casting temperature on the fatigue properties of cast nickel aluminide alloys, 520
  the effect of niobium additions on the fracture of Ni–19Si based alloys, 525
  the initial oxidation of α_2 (Ti_3Al) and γ (TiAl) titanium aluminide alloys, 608
  the phase transformations in alloys based on titanium aluminides Ti_3Al–V and TiAl–V, 31
  the role of hot-working on the microstructure and mechanical properties of the $L1_2$ type manganese-modified Al_3Ti alloy, 370
  the strain field and work-hardening from antiphase boundary tubes in ordered alloys, 189
  thermal evidences for the structural instability in Ni_3Al alloys, 60
  three phase ($\beta+\beta'+\gamma$)Ni–Al–Ti–(Cr, Fe) alloys for high temperature use, 227
Aluminides
  influence of an increasing content of molybdenum phase transformations of Ti–Al–Mo aluminides—relation with mechanical properties, 48
  sub-critical crack growth in a Ti_3Al-based aluminide at elevated temperatures, 508
Aluminium
  a first-principles study of phase stability in Ni–Al and Ni–Ti alloys, 1
  a study on long-term stability of Ti_3Al–Nb–V–Mo alloy, 422
  a transmission electron microscopy study of dislocation structures in a directionally solidified Ni_3Al-based alloy deformed at 850 °C, 208
  abnormal grain growth in textured FeAl intermetallics, 335
  age hardening behavior of a hypo-stoichiometric Fe_3Al intermetallic compound, 341
  behaviour of boron in poly- and monocrystalline Ni_3Al and its effect on strength at room and high temperature, 120
  bend ductility, creep strength and physical properties of extruded chromium-modified Al_3Ti, 126
  creep behaviour of dual-phase intermetallics based on $(Ti,Nb)_3(Al,Si)$ and $(Ti,Nb)_5(Si,Al)_3$, 444
  cyclic oxidation resistance of an intermetallic compound TiAl, 602
  deformation mechanisms and ductility of mechanically alloyed NiAl, 160
  design of $Al_3(Ti,V,Zr)$ systems through phase stability calculations, 26
  development of castable TiAl alloy for turbine components, 722
  different origins of grain size and composition effects on creep in TiAl, 433
  diffusional transport and predicting oxidative failure during cyclic oxidation of β–NiAl alloys, 561
  dislocation structures and mechanisms of strain hardening in cyclically deformed Ni_3Al + B single crystals, 195
  dissociation of superdislocations in single crystal $L1_0$Ti–Al–V compounds, 182
  effect of boron in two phase (NiAl + Ni_3Al) alloy, 253
  effect of copper alloying on the deformation behavior of B2 NiAl intermetallic compounds, 392
  effect of heat treatment on microstructure and microhardness of spot welds in Ti–26Al–11Nb, 304

effect of silicon and niobium on oxidation resistance of TiAl intermetallics, 591
effect of vanadium elevated temperature phase relations in titanium aluminides containing 44 at.% Al, 37
effects of hydrogen in titanium aluminide alloys, 578
elevated temperature behavior of Fe_3Al with chromium additions, 382
elevated temperature crack growth resistance of TiAl under monotonic and cyclic loading, 486
elevated temperature fatigue behavior of SCS-6/Ti-24Al-11Nb, 314
fatigue crack propagation resistance of ductile TiNb-reinforced γ-TiAl intermetallic matrix composites, 479
frequency and hold time effects on crack growth of Ti-24Al-11Nb at high temperature, 493
high temperature strength of niobium aluminide intermetallics, 398
homogeneity and mechanical properties of TiAl, 283
improvement in ductility of Ni_3Al by γ former doping, 108
improvement of ductility of NiAl at room temperature and manufacturing of NiAl-TiB_2 composites by melt spinning, 696
improvement of hot workability of Ni_3Al-Cr-Zr-B ordered alloy, 377
influence of an increasing content of molybdenum phase transformations of Ti-Al-Mo aluminides—relation with mechanical properties, 48
interaction of tantalum with reinforcements in γ-TiAl, 662
interfacial behavior of Ni_3Al-TiB_2 intermetallic matrix composite, 654
intermetallic Ti-Al-Nb alloys based on strengthening of the orthorhombic phase by ω-type phases, 41
mechanical alloying of FeAl with Y_2O_3, 684
mechanical behavior of a fiber reinforced Ni_3Al matrix composite, 619
mechanical properties of boron-doped directionally-solidified Ni_3Al containing carbon, magnesium, calcium and rare earth elements, 364
microstructural characterization of precipitates formed during high temperature testing and processing of iron-aluminide alloys, 322
microstructural evaluation of as-solidified and heat treated γ-TiAl based powders, 277
microstructure and crack-shape effects on the growth behavior of small fatigue cracks in Ti-24Al-11Nb, 499
microstructure and elevated temperature behavior of a spray-atomized and co-deposited $Ni_3Al/SiC/TiB_2$ intermetallic matrix composite, 646
microstructure and phase evolution in rapidly-solidified Ti-24Al-11Nb, 295
microstructure and tensile properties of a Ti_3Al-Nb-Mo-V alloy, 317
microstructure of Nb_2Al-$NbAl_3$ eutectic alloys produced by unidirectional solidification, 349
microstructure of precipitation strengthened Ni_3Al and TiAl, 247
microstructures and mechanical behaviors of Ni-Al-Fe intermetallic compounds, 264
microstructures of Nb-26Ti-48Al + (Nb, Ti)B, 202
new concepts of analyzing plastic deformation of TiAl and Ni_3Al intermetallic compounds, 356
oxidation and mechanical behavior of intermetallic alloys in the Ti-Nb-Al ternary system, 597
oxidation behavior of a NiAl/TiB_2 intermetallic composite, 567
phase relations in $TiAl_2$-based ternary titanium aluminides of iron or nickel, 67
planar defect energies by the embedded atom method and dissociated superdislocation configurations in the $L1_0$ type TiAl compound, 18
primary dendrite arm spacings and tip radii in directionally solidified Ni_3Al, 240
producing Ni_3Al matrix composite material by vacuum hot pressing and heat treatment of nickel-plated aluminum sheets with Al_2O_3 fiber, 641
strength properties and enhanced plasticity of intermetallic Ti-Al-(CrSi) alloys, 166
structure/property observations for Al-Ti-Cr alloys near the cubic $(Al,Cr)_3Ti$ phase, 132
studies of vacancies and dislocations in TiAl positron annihilation, 173
study of phase stability in Ti-Al-X systems at high temperatures, 54
sub-critical crack growth in a Ti_3Al based aluminide at elevated temperatures, 508
synthesis of Al/Al_3Ti two-phase alloys by mechanical alloying, 691
the effect of annealing on Ni-Al-Fe B_2 compounds, 258
the effect of orientation and lamellar structure on the plastic behavior of TiAl crystals, 81
the initial oxidation of α_2 (Ti_3Al) and γ (TiAl) titanium aluminide alloys, 608
the mechanical properties of an Al_2O_3/Ni_3Al particulate-reinforced composite, 635
the phase transformations in alloys based on titanium aluminides Ti_3Al-V and TiAl-V, 31
the role of hot-working on the microstructure and mechanical properties of the $L1_2$ type manganese-modified Al_3Ti alloy, 370
thermal evidences for the structural instability in Ni_3Al alloys, 60
thermodynamic calculation of the ternary Ti-Al-Nb system, 9

Annealing
the effect of annealing on Ni-Al-Fe B_2 compounds, 258
Antiphase boundary tubes
the strain field and work-hardening from antiphase boundary tubes in ordered alloys, 189
Atomistic modelling
atomistic modeling of dislocations in $Be_{12}X$ compounds, 103
Atomistic study
an atomistic study of the dislocation core structures and mechanical behavior of a model $D0_{19}$ alloy, 95

Bend ductility
bend ductility, creep strength and physical properties of extruded chromium-modified Al_3Ti, 126
Beryllium
atomistic modeling of dislocations in $Be_{12}X$ compounds, 103
elevated temperature mechanical properties of $Be_{12}Nb$, 416
phase stability in Be-Nb and Be-Nb-Zr intermetallics, 76
Boron
behaviour of boron in poly- and monocrystalline Ni_3Al and its effect on strength at room and high temperature, 120
dislocation structures and mechanisms of strain hardening in cyclically deformed Ni_3Al + B single crystals, 195
effect of boron in two phase (NiAl + Ni_3Al) alloy, 253
improvement of ductility of NiAl at room temperature and manufacturing of NiAl-TiB_2 composites by melt spinning, 696

improvement of hot workability of Ni_3Al–Cr–Zr–B ordered alloy, 377
interfacial behavior in Ni_3Al/TiB_2 intermetallic matrix composite, 654
mechanical properties of boron-doped directionally-solidified Ni_3Al containing carbon, magnesium, calcium and rare earth elements, 364
microstructures of Nb–26Ti–48Al + (Nb, Ti)B, 202
oxidation behavior of a $NiAl/TiB_2$ intermetallic composite, 567
the effect of annealing on Ni–Al–Fe B_2 compounds, 258
the strength and ductility of Ni_3Ge with and without boron, 138
three phase $(\beta+\beta'+\gamma)$Ni–Al–Ti–(Cr, Fe) alloys for high temperature use, 227

Carbon
mechanical properties of boron-doped directionally-solidified Ni_3Al containing carbon, magnesium, calcium and rare earth elements, 364
microstructure and elevated temperature behavior of a spray-atomized and co-deposited $Ni_3Al/SiC/TiB_2$ intermetallic matrix composite, 646
Casting
development of castable TiAl alloy for turbine components, 722
Casting temperature
the effect of casting temperature on the fatigue properties of cast nickel aluminide alloys, 520
Charge density
on charge density determinations in intermetallics by quantitative convergent beam electron diffraction, 237
Chromium
bend ductility, creep strength and physical properties of extruded chromium-modified Al_3Ti, 126
elevated temperature behavior of Fe_3Al with chromium additions, 382
fatigue and fracture of a Ni_2Cr ordered intermetallic alloy, 532
improvement of hot workability of Ni_3Al–Cr–Zr–B ordered alloy, 377
strength properties and enhanced plasticity of intermetallic Ti–Al–(CrSi) alloys, 166
structure/property observations for Al–Ti–Cr alloys near the cubic $(Al, Cr)_3Ti$ phase, 132
three phase $(\beta+\beta'+\gamma)$Ni–Al–Ti–(Cr, Fe) alloys for high temperature use, 227
Cleavage fracture
cleavage fracture of ordered intermetallic alloys, 470
Cobalt
effects of test environment and grain size on the tensile properties of $L1_2$-ordered $(Co, Fe)_3V$ alloys, 146
room temperature deformation of $CoSi_2$ single crystals, 153
Combustion
combustion synthesis of intermetallic compounds using titanium, nickel and copper wires, 700
Composites
improvement of ductility of NiAl at room temperature and manufacturing of $NiAl–TiB_2$ composites by melt spinning, 696
micromodelling of crack growth in fibre reinforced composites, 628
the effect of reinforcement size on the creep strength of intermetallic matrix composites, 438
the mechanical properties of an Al_2O_3/Ni_3Al particulate-reinforced composite, 635
Copper
combustion synthesis of intermetallic compounds using titanium, nickel and copper wires, 700
effect of copper alloying on the deformation behavior of B2 NiAl intermetallic compounds, 392
Crack growth
elevated temperature crack growth resistance of TiAl under monotonic and cyclic loading, 486
frequency and hold time effects on crack growth of Ti–24Al–11Nb at high temperature, 493
micromodelling of crack growth in fibre reinforced composites, 628
sub-critical crack growth in a Ti_3Al based aluminide at elevated temperatures, 508
Crack propagation
fatigue crack propagation resistance of ductile TiNb-reinforced γ-TiAl intermetallic matrix composites, 479
Crack shape effects
microstructure and crack-shape effects on the growth behavior of small fatigue cracks in Ti–24Al–11Nb, 499
Cracking
evaluation of the environmentally assisted cracking of aluminide intermetallic compounds, 613
microstructure and crack-shape effects on the growth behavior of small fatigue cracks in Ti–24Al–11Nb, 499
Creep
creep behaviour of dual-phase intermetallics based on $(Ti, Nb)_3(Al, Si)$ and $(Ti, Nb)_5(Si, Al)_3$, 444
creep in titanium aluminides, 427
different origins of grain size and composition effects on creep in TiAl, 433
on the toughness and creep behavior of fiber reinforced $MoSi_2$ intermetallics, 668
Creep strength
alloy modification of γ-base titanium aluminide for improved oxidation resistance, creep strength and fracture toughness, 451
bend ductility, creep strength and physical properties of extruded chromium-modified Al_3Ti, 126
the effect of reinforcement size on the creep strength of intermetallic matrix composites, 438
Cubic phases
structure/property observations for Al–Ti–Cr alloys near the cubic $(Al, Cr)_3Ti$ phase, 132
Cyclic deformation
dislocation structures and mechanisms of strain hardening in cyclically deformed Ni_3Al + B single crystals, 195
Cyclic loading
elevated temperature crack growth resistance of TiAl under monotonic and cyclic loading, 486
Cyclic oxidation
diffusional transport and predicting oxidative failure during cyclic oxidation of β-NiAl alloys, 561
Cyclic resistance
cyclic oxidation resistance of an intermetallic compound, TiAl, 602

Deformation
a transmission electron microscopy study of dislocation structures in a directionally solidified Ni_3Al-based alloy deformed at 850 °C, 208
deformation mechanisms and ductility of mechanically alloyed NiAl, 160
effect of copper alloying on the deformation behavior of B2 NiAl intermetallic compounds, 392
room temperature deformation of $CoSi_2$ single crystals, 153

Dendrite arm spacings
primary dendrite arm spacings and tip radii in directionally solidified Ni_3Al, 240
Diffusion
diffusional transport and predicting oxidative failure during cyclic oxidation of β-NiAl alloys, 561
Directional solidification
mechanical properties of boron-doped directionally-solidified Ni_3Al containing carbon, magnesium, calcium and rare earth elements, 364
primary dendrite arm spacings and tip radii in directionally solidified Ni_3Al, 240
Dislocation
studies of vacancies and dislocations in TiAl positron annihilation, 173
Dislocation structures
an atomistic study of the dislocation core structures and mechanical behavior of a model $D0_{19}$ alloy, 95
a transmission electron microscopy study of dislocation structures in a directionally solidified Ni_3Al-based alloy deformed at 850 °C, 208
an atomistic study of dislocations and their mobility in a model $D0_{22}$ alloy, 89
atomistic modeling of dislocations in $Be_{12}X$ compounds, 103
dislocation structures and mechanisms of strain hardening in cyclically deformed $Ni_3Al + B$ single crystals, 195
Doping
improvement in ductility of Ni_3Al by γ former doping, 108
Ductility
deformation mechanisms and ductility of mechanically alloyed NiAl, 160
improvement in ductility of Ni_3Al by γ former doping, 108
the strength and ductility of Ni_3Ge with and without boron, 138

Electron diffraction
on charge density determinations in intermetallics by quantitative convergent beam electron diffraction, 237
Embedded atom method
planar defect energies by the embedded atom method and dissociated superdislocation configurations in the $L1_0$ type TiAl compound, 18
Embrittlement
elevated-temperature environmental embrittlement and alloy design of $L1_2$ ordered intermetallics, 538
Eutectic alloys
microstructure of Nb_2Al–$NbAl_3$ eutectic alloys produced by unidirectional solidification, 349

Failure
diffusional transport and predicting oxidative failure during cyclic oxidation of β-NiAl alloys, 561
Fatigue
elevated temperature fatigue behavior of SCS-6/Ti-24Al-11Nb, 514
fatigue and fracture of a Ni_2Cr ordered intermetallic alloy, 532
fatigue crack propagation resistance of ductile TiNb-reinforced γ-TiAl intermetallic matrix composites, 479
microstructure and crack-shape effects on the growth behavior of small fatigue cracks in Ti-24Al-11Nb, 499
the effect of casting temperature on the fatigue properties of cast nickel aluminide alloys, 520
Fibre reinforcement
mechanical behavior of a fiber reinforced Ni_3Al matrix composite, 619
micromodelling of crack growth in fibre reinforced composites, 628
on the toughness and creep behavior of fiber reinforced $MoSi_2$ intermetallics, 668
Fibres
producing Ni_3Al matrix composite material by vacuum hot pressing and heat treatment of nickel-plated aluminum sheets with Al_2O_3 fiber, 641
Fracture
fatigue and fracture of a Ni_2Cr ordered intermetallic alloy, 532
the effect of niobium additions on the fracture of Ni-19Si based alloys, 525
Fracture toughness
alloy modification of γ-base titanium aluminide for improved oxidation resistance, creep strength and fracture toughness, 451

Germanium
the negative temperature dependence of yield strength in the $L1_2$ compound Fe_3Ge, 387
the strength and ductility of Ni_3Ge with and without boron, 138
Grain growth
abnormal grain growth in textured FeAl intermetallics, 335
Grain size
different origins of grain size and composition effects on creep in TiAl, 433
effects of test environment and grain size on the tensile properties of $L1_2$-ordered $(Co,Fe)_3V$ alloys, 146

Heat treatment
effect of heat treatment on microstructure and microhardness of spot welds in Ti-26Al-11Nb, 304
Homogeneity
homogeneity and mechanical properties of TiAl, 283
Hot isostatic pressing
the effects of HIP processing microstructure and phase relations in α_2 base titanium aluminides, 726
Hydrogen
effects of hydrogen in titanium aluminide alloys, 578

Interfaces
interfacial behavior in Ni_3Al/TiB_2 intermetallic matrix composite, 654
Intermetallics
mechanical behavior of ion-irradiated ordered intermetallic compounds, 212
abnormal grain growth in textured FeAl intermetallics, 335
age hardening behavior of a hypo-stoichiometric Fe_3Al intermetallic compound, 341
cleavage fracture of ordered intermetallic alloys, 470
combustion synthesis of intermetallic compounds using titanium, nickel and copper wires, 700
creep behaviour of dual-phase intermetallics based on $(Ti,Nb)_3(Al,Si)$ and $(Ti,Nb)_5(Si,Al)_3$, 444
cyclic oxidation resistance of an intermetallic compound TiAl, 602
effect of copper alloying on the deformation behavior of B2 NiAl intermetallic compounds, 392
effect of silicon and niobium on oxidation resistance of TiAl intermetallics, 591
elevated-temperature environmental embrittlement and alloy design of $L1_2$ ordered intermetallics, 538
evaluation of refractory intermetallics with A15 structure for high temperature structural applications, 402

evaluation of the environmentally assisted cracking of aluminide intermetallic compounds, 613
fatigue and fracture of a Ni_2Cr ordered intermetallic alloy, 532
fatigue crack propagation resistance of ductile TiNb-reinforced γ-TiAl intermetallic matrix composites, 479
high temperature evaluation of topologically close packed intermetallics, 410
high temperature strength of niobium aluminide intermetallics, 398
interfacial behavior in Ni_3Al/TiB_2 intermetallic matrix composite, 654
intermetallic Ti–Al–Nb alloys based on strengthening of the orthorhombic phase by ω-type phases, 41
microstructures and mechanical behaviors of Ni–Al–Fe intermetallic compounds, 264
microstructures and properties of high melting point intermetallic Ti_5Si_3 and $TiSi_2$ compounds, 288
nanocrystalline intermetallic compounds—structure and mechanical properties, 679
new concepts of analyzing plastic deformation of TiAl and Ni_3Al intermetallic compounds, 356
on charge density determinations in intermetallics by quantitative convergent beam electron diffraction, 237
on the toughness and creep behavior of fiber reinforced $MoSi_2$ intermetallics, 668
oxidation and mechanical behavior of intermetallic alloys in the Ti–Nb–Al ternary system, 597
oxidation behavior of a $NiAl/TiB_2$ intermetallic composite, 567
phase stability in Be–Nb and Be–Nb–Zr intermetallics, 76
strength properties and enhanced plasticity of intermetallic Ti–Al–(CrSi) alloys, 166
the effect of reinforcement size on the creep strength of intermetallic matrix composites, 438
the microstructure and mechanical properties of the intermetallic compound Super α_2, 310
the oxidation behavior of intermetallic compounds, 548
Ion irradiation
mechanical behavior of ion-irradiated ordered intermetallic compounds, 212
Iron
abnormal grain growth in textured FeAl intermetallics, 335
age hardening behavior of a hypo-stoichiometric Fe_3Al intermetallic compound, 341
behavior of iron aluminides in oxidizing and oxidizing/sulfidizing environments, 573
effects of test environment and grain size on the tensile properties of $L1_2$-ordered $(Co,Fe)_3V$ alloys, 146
elevated temperature behavior of Fe_3Al with chromium additions, 382
mechanical alloying of FeAl with Y_2O_3, 684
microstructural characterization of precipitates formed during high temperature testing and processing of iron-aluminide alloys, 322
microstructures and mechanical behaviors of Ni–Al–Fe intermetallic compounds, 264
phase relations in $TiAl_2$-based ternary titanium aluminides of iron or nickel, 67
reaction processing of iron aluminides, 706
the effect of annealing on Ni–Al–Fe B_2 compounds, 258
the negative temperature dependence of yield strength in the $L1_2$ compound Fe_3Ge, 387
three phase $(\beta+\beta'+\gamma)$Ni–Al–Ti–(Cr,Fe) alloys for high temperature use, 227
Iron aluminide
behavior of iron aluminides in oxidizing and oxidizing/sulfidizing environments, 573
microstructural characterization of precipitates formed during high temperature testing and processing of iron-aluminide alloys, 322
reaction processing of iron aluminides, 706

Lamellar structure
the effect of orientation and lamellar structure on the plastic behavior of TiAl crystals, 81

Magnesium
mechanical properties of boron-doped directionally-solidified Ni_3Al containing carbon, magnesium, calcium and rare earth elements, 364
Manganese
the role of hot-working on the microstructure and mechanical properties of the $L1_2$ type manganese-modified Al_3Ti alloy, 370
Matrix composites
mechanical behavior of a fiber reinforced Ni_3Al matrix composite, 619
producing Ni_3Al matrix composite material by vacuum hot pressing and heat treatment of nickel-plated aluminum sheets with Al_2O_3 fiber, 641
Mechanical properties
the microstructure and mechanical properties of the intermetallic compound Super α_2, 310
Melt spinning
improvement of ductility of NiAl at room temperature and manufacturing of $NiAl–TiB_2$ composites by melt spinning, 696
Metal matrix composites
the effect of reinforcement size on the creep strength of intermetallic matrix composites, 438
Microhardness
effect of heat treatment on microstructure and microhardness of spot welds in Ti–26Al–11Nb, 304
Micromodelling
micromodelling of crack growth in fibre reinforced composites, 628
Mobility
an atomistic study of dislocations and their mobility in a model $D0_{22}$ alloy, 89
Molybdenum
a study on long-term stability of Ti_3Al–Nb–V–Mo alloy, 422
influence of an increasing content of molybdenum phase transformations of Ti–Al–Mo aluminides—relation with mechanical properties, 48
microstructure and tensile properties of a Ti_3Al–Nb–Mo–V alloy, 317
on the toughness and creep behavior of fiber reinforced $MoSi_2$ intermetallics, 668
Monocrystals
behaviour of boron in poly- and monocrystalline Ni_3Al and its effect on strength at room and high temperature, 120
Monotonic loading
elevated temperature crack growth resistance of TiAl under monotonic and cyclic loading, 486

Nanocrystals
nanocrystalline intermetallic compounds—structure and mechanical properties, 679

Nanophase aluminide
synthesis, processing and properties of nanophase aluminide, 676
Nickel
a first-principles study of phase stability in Ni–Al and Ni–Ti alloys, 1
a transmission electron microscopy study of dislocation structures in a directionally solidified Ni_3Al-based alloy deformed at 850 °C, 208
behaviour of boron in poly- and monocrystalline Ni_3Al and its effect on strength at room and high temperature, 120
combustion synthesis of intermetallic compounds using titanium, nickel and copper wires, 700
deformation mechanisms and ductility of mechanically alloyed NiAl, 160
diffusional transport and predicting oxidative failure during cyclic oxidation of β-NiAl alloys, 561
dislocation structures and mechanisms of strain hardening in cyclically deformed Ni_3Al + B single crystals, 195
effect of boron in two phase (NiAl + Ni_3Al) alloy, 253
effect of copper alloying on the deformation behavior of B2 NiAl intermetallic compounds, 392
fatigue and fracture of a Ni_2Cr ordered intermetallic alloy, 532
improvement in ductility of Ni_3Al by γ former doping, 108
improvement of ductility of NiAl at room temperature and manufacturing of NiAl–TiB_2 composites by melt spinning, 696
improvement of hot workability of Ni_3Al–Cr–Zr–B ordered alloy, 377
interfacial behavior in Ni_3Al/TiB_2 intermetallic matrix composite, 654
mechanical behavior of a fiber reinforced Ni_3Al matrix composite, 619
mechanical properties of advanced nickel aluminides, 114
mechanical properties of boron-doped directionally-solidified Ni_3Al containing carbon, magnesium, calcium and rare earth elements, 364
microstructure and elevated temperature behavior of a spray-atomized and co-deposited $Ni_3Al/SiC/TiB_2$ intermetallic matrix composite, 646
microstructure of precipitation strengthened Ni_3Al and TiAl, 247
microstructures and mechanical behaviors of Ni–Al–Fe intermetallic compounds, 264
new concepts of analyzing plastic deformation of TiAl and Ni_3Al intermetallic compounds, 356
oxidation behavior of a NiAl/TiB_2 intermetallic composite, 567
phase relations in $TiAl_2$-based ternary titanium aluminides of iron or nickel, 67
primary dendrite arm spacings and tip radii in directionally solidified Ni_3Al, 240
processing of nickel aluminides and their industrial applications, 712
producing Ni_3Al matrix composite material by vacuum hot pressing and heat treatment of nickel-plated aluminum sheets with Al_2O_3 fiber, 641
superplasticity in a nickel silicide alloy—microstructural and mechanical correlations, 465
the effect of annealing on Ni–Al–Fe B2 compounds, 258
the effect of casting temperature on the fatigue properties of cast nickel aluminide alloys, 520
the effect of niobium additions on the fracture of Ni–19Si based alloys, 525
the mechanical properties of an Al_2O_3/Ni_3Al particulate-reinforced composite, 635
the strength and ductility of Ni_3Ge with and without boron, 138
thermal evidences for the structural instability in Ni_3Al alloys, 60
three phase ($\beta + \beta' + \gamma$)Ni–Al–Ti–(Cr, Fe) alloys for high temperature use, 227
Nickel aluminide
behaviour of boron in poly- and monocrystalline Ni_3Al and its effect on strength at room and high temperature, 120
deformation mechanisms and ductility of mechanically alloyed NiAl, 160
effect of boron in two phase (NiAl + Ni_3Al) alloy, 253
mechanical properties of advanced nickel aluminides, 114
processing of nickel aluminides and their industrial applications, 712
the effect of casting temperature on the fatigue properties of cast nickel aluminide alloys, 520
Nickel silicide
superplasticity in a nickel silicide alloy—microstructural and mechanical correlations, 465
Niobium
a study on long-term stability of Ti_3Al–Nb–V–Mo alloy, 422
creep behaviour of dual-phase intermetallics based on $(Ti, Nb)_3(Al, Si)$ and $(Ti, Nb)_5(Si, Al)_3$, 444
effect of heat treatment on microstructure and microhardness of spot welds in Ti–26Al–11Nb, 304
effect of silicon and niobium on oxidation resistance of TiAl intermetallics, 591
elevated temperature fatigue behavior of SCS-6/Ti–24Al–11Nb, 514
elevated temperature mechanical properties of $Be_{12}Nb$, 416
fatigue crack propagation resistance of ductile TiNb-reinforced γ-TiAl intermetallic matrix composites, 479
frequency and hold time effects on crack growth of Ti–24Al–11Nb at high temperature, 493
high temperature strength of niobium aluminide intermetallics, 398
intermetallic Ti–Al–Nb alloys based on strengthening of the orthorhombic phase by ω-type phases, 41
microstructure and crack-shape effects on the growth behavior of small fatigue cracks in Ti–24Al–11Nb, 499
microstructure and phase evolution in rapidly-solidified Ti–24Al–11Nb, 295
microstructure and tensile properties of a Ti_3Al–Nb–Mo–V alloy, 317
microstructure of Nb_2Al–$NbAl_3$ eutectic alloys produced by unidirectional solidification, 349
microstructures of Nb–26Ti–48Al + (Nb, Ti)B, 202
oxidation and mechanical behavior of intermetallic alloys in the Ti–Nb–Al ternary system, 597
phase stability in Be–Nb and Be–Nb–Zr intermetallics, 76
the effect of niobium additions on the fracture of Ni–19Si based alloys, 525
thermodynamic calculations of the ternary Ti–Al–Nb system, 9

Orthorhombic phase
intermetallic Ti–Al–Nb alloys based on strengthening of the orthorhombic phase by ω-type phases, 141
Oxidation
behavior of iron aluminides in oxidizing and oxidizing/sulfidizing environments, 573

cyclic oxidation resistance of an intermetallic compound TiAl, 602
effect of silicon and niobium on oxidation resistance of TiAl intermetallics, 591
oxidation and mechanical behavior of intermetallic alloys in the Ti–Nb–Al ternary system, 597
oxidation behavior of a $NiAl/TiB_2$ intermetallic composite, 567
oxide properties of a γ-titanium: a surface science study, 584
the initial oxidation of $\alpha 2$ (Ti_3Al) and γ (TiAl) titanium aluminide alloys, 608
the oxidation behavior of intermetallic compounds, 548
Oxidation resistance
alloy modification of γ-base titanium aluminide for improved oxidation resistance, creep strength and fracture toughness, 451
Oxygen
mechanical alloying of FeAl with Y_2O_3, 684
the mechanical properties of an Al_2O_3/Ni_3Al particulate-reinforced composite, 635

Particulate reinforcement
the mechanical properties of an Al_2O_3/Ni_3Al particulate-reinforced composite, 635
Phase evolution
microstructure and phase evolution in rapidly-solidified Ti–24Al–11Nb, 295
Phase relations
effect of vanadium elevated temperature phase relations in titanium aluminides containing 44 at.% Al, 37
phase relations in $TiAl_2$-based ternary titanium aluminides of iron or nickel, 67
the effects of HIP processing microstructure and phase relations in α_2 base titanium aluminides, 726
Phase stability
a first-principles study of phase stability in Ni–Al and Ni–Ti alloys, 1
design of $Al_3(Ti, V, Zr)$ systems through phase stability calculations, 26
phase stability in Be–Nb and Be–Nb–Zr intermetallics, 76
study of phase stability in Ti–Al–X systems at high temperatures, 54
Phase transformations
influence of an increasing content of molybdenum phase transformations of Ti–Al–Mo aluminides—relation with mechanical properties, 48
the phase transformations in alloys based on titanium aluminides Ti_3Al–V and TiAl–V, 31
Planar defect energies
planar defect energies by the embedded atom method and dissociated superdislocation configurations in the $L1_0$ type TiAl compound, 18
Plastic deformation
new concepts of analyzing plastic deformation of TiAl and Ni_3Al intermetallic compounds, 356
Plasticity
strength properties and enhanced plasticity of intermetallic Ti–Al–(CrSi) alloys, 166
the effect of orientation and lamellar structure on the plastic behavior of TiAl crystals, 81
Polycrystals
behaviour of boron in poly- and monocrystalline Ni_3Al and its effect on strength at room and high temperatures, 120
Positron annihilation
studies of vacancies and dislocations in TiAl positron annihilation, 173
Precipitation
microstructural characterization of precipitates formed during high temperature testing and processing of iron-aluminide alloys, 322
microstructure of precipitation strengthened Ni_3Al and TiAl, 247

Rapid solidification
microstructure and phase evolution in rapidly-solidified Ti–24Al–11Nb, 295
Reaction processing
reaction processing of iron aluminides, 706
Refraction
evaluation of refractory intermetallics with A15 structure for high temperature structural applications, 402
Reinforcement size
the effect of reinforcement size on the creep strength of intermetallic matrix composites, 438

Silicon
creep behaviour of dual-phase intermetallics based on $(Ti, Nb)_3(Al, Si)$ and $(Ti, Nb)_5(Si, Al)_3$, 444
effect of silicon and niobium on oxidation resistance of TiAl intermetallics, 591
microstructure and elevated temperature behavior of a spray-atomized and co-deposited $Ni_3Al/SiC/TiB_2$ intermetallic matrix composite, 646
microstructures and properties of high melting point intermetallic Ti_5Si_3 and $TiSi_2$ compounds, 288
on the toughness and creep behavior of fiber reinforced $MoSi_2$ intermetallics, 668
room temperature deformation of $CoSi_2$ single crystals, 153
strength properties and enhanced plasticity of intermetallic Ti–Al–(CrSi) alloys, 166
superplasticity in a nickel silicide alloy—microstructural and mechanical correlations, 465
the effect of niobium additions on the fracture of Ni–19Si based alloys, 525
Single crystals
dissociation of superdislocations in single crystal $L1_0$Ti–Al–V compounds, 182
room temperature deformation of $CoSi_2$ single crystals, 153
Spot welding
effect of heat treatment on microstructure and microhardness of spot welds in Ti–26Al–11Nb, 304
Spray atomization
microstructure and elevated temperature behavior of a spray-atomized and co-deposited $Ni_3Al/SiC/TiB_2$ intermetallic matrix composite, 646
Stoichiometry
age hardening behavior of a hypo-stoichiometric Fe_3Al intermetallic compound, 341
Strain fields
the strain field and work-hardening from antiphase boundary tubes in ordered alloys, 189
Strain hardening
dislocation structures and mechanisms of strain hardening in cyclically deformed $Ni_3Al + B$ single crystals, 195
Structural instability
thermal evidences for the structural instability in Ni_3Al alloys, 60

Sulfidization
behavior of iron aluminides in oxidizing and oxidizing/sulfidizing environments, 573
Super α_2
the microstructure and mechanical properties of the intermetallic compound Super α_2, 310
Superdislocations
dissociation of superdislocations in single crystal $L1_0$Ti–Al–V compounds, 182
planar defect energies by the embedded atom method and dissociated superdislocation configurations in the $L1_0$ type TiAl compound, 18
Superplasticity
superplastic behavior of regular α_2 and super α_2 titanium aluminides, 457
superplasticity in a nickel silicide alloy—microstructural and mechanical correlations, 465

Tantalum
interaction of tantalum with reinforcements in γ-YiAl, 662
Tensile properties
effects of test environment and grain size on the tensile properties of $L1_2$-ordered $(Co,Fe)_3V$ alloys, 146
microstructural evolution and tensile properties of titanium-rich TiAl alloy, 269
Ternary systems
thermodynamic calculation of the ternary Ti–Al–Nb system, 9
Tip radii
primary dendrite arm spacings and tip radii in directionally solidified Ni_3Al, 240
Titanium
a first-principles study of phase stability in Ni–Al and Ni–Ti alloys, 1
a study on long-term stability of Ti_3Al–Nb–V–Mo alloy, 422
alloy modification of γ-base titanium aluminide for improved oxidation resistance, creep strength and fracture toughness, 451
bend ductility, creep strength and physical properties of extruded chromium-modified Al_3Ti, 126
combustion synthesis of intermetallic compounds using titanium, nickel and copper wires, 700
creep behaviour of dual-phase intermetallics based on $(Ti,Nb)_3(Al,Si)$ and $(Ti,Nb)_5(Si,Al)_3$, 444
creep in titanium aluminides, 427
cyclic oxidation resistance of an intermetallic compound TiAl, 602
design of $Al_3(Ti,V,Zr)$ systems through phase stability calculations, 26
development of castable TiAl alloy for turbine components, 722
different origins of grain size and composition effects on creep in TiAl, 433
dissociation of superdislocations in single crystal $L1_0$Ti–Al–V compounds, 182
effect of heat treatment on microstructure and microhardness of spot welds in Ti–26Al–11Nb, 304
effect of silicon and niobium on oxidation resistance of TiAl intermetallics, 591
effect of vanadium elevated temperature phase relations in titanium aluminides containing 44 at.% Al, 37
effects of hydrogen in titanium aluminide alloys, 578
elevated temperature crack growth resistance of TiAl under monotonic and cyclic loading, 486
elevated temperature fatigue behavior of SCS–6/Ti–24Al–11Nb, 514
fatigue crack propagation resistance of ductile TiNb-reinforced γ-TiAl intermetallic matrix composites, 479
frequency and hold time effects on crack growth of Ti–24Al–11Nb at high temperature, 493
homogeneity and mechanical properties of TiAl, 283
improvement of ductility of NiAl at room temperature and manufacturing of NiAl–TiB_2 composites by melt spinning, 696
influence of an increasing content of molybdenum phase transformations of Ti–Al–Mo aluminides—relation with mechanical properties, 48
interaction of tantalum with reinforcements in γ TiAl, 662
interfacial behavior in Ni_3Al/TiB_2 intermetallic matrix composite, 654
intermetallic Ti–Al–Nb alloys based on strengthening of the orthorhombic phase by ω-type phases, 41
microstructural evaluation of as-solidified and heat treated γ-TiAl based powders, 277
microstructural evolution and tensile properties of titanium-rich TiAl alloy, 269
microstructure and crack-shape effects on the growth behavior of small fatigue cracks in Ti–24Al–11Nb, 499
microstructure and elevated temperature behavior of a spray-atomized and co-deposited $Ni_3Al/SiC/TiB_2$ intermetallic matrix composite, 646
microstructure and phase evolution in rapidly-solidified Ti–24Al–11Nb, 295
microstructure and tensile properties of a Ti_3Al–Nb–Mo–V alloy, 317
microstructure of precipitation strengthened Ni_3Al and TiAl, 247
microstructures and properties of high melting point intermetallic Ti_5Si_3 and $TiSi_2$ compounds, 288
microstructures of Nb–26Ti–48Al + (Nb, Ti)B, 202
new concepts of analyzing plastic deformation of TiAl and Ni_3Al intermetallic compounds, 356
oxidation and mechanical behavior of intermetallic alloys in the Ti–Nb–Al ternary system, 597
oxidation behavior of a NiAl/TiB_2 intermetallic composite, 567
oxide properties of a γ-titanium: a surface science study, 584
phase relations in $TiAl_2$-based ternary titanium aluminides of iron or nickel, 67
planar defect energies by the embedded atom method and dissociated superdislocation configurations in the $L1_0$ type TiAl compound, 18
strength properties and enhanced plasticity of intermetallic Ti–Al–(CrSi) alloys, 166
structure/property observations for Al–Ti–Cr alloys near the cubic $(Al,Cr)_3Ti$ phase, 132
studies of vacancies and dislocations in TiAl positron annihilation, 173
study of phase stability in Ti–Al–X systems at high temperatures, 54
sub-critical crack growth in a Ti_3Al based aluminide at elevated temperatures, 508
superplastic behavior of regular α_2 and super α_2 titanium aluminides, 457
synthesis of Al/Al_3Ti two-phase alloys by mechanical alloying, 691
the effect of orientation and lamellar structure on the plastic behavior of TiAl crystals, 81
the effects of HIP processing microstructure and phase relations in α_2 base titanium aluminides, 726
the initial oxidation of α_2 (Ti_3Al) and γ (TiAl) titanium aluminide alloys, 608

the phase transformations in alloys based on titanium aluminides Ti_3Al–V and TiAl–V, 31
the role of hot-working on the microstructure and mechanical properties of the $L1_2$ type manganese-modified Al_3Ti alloy, 370
thermodynamic calculation of the ternary Ti–Al–Nb system, 9
three phase ($\beta+\beta'+\gamma$)Ni–Al–Ti–(Cr,Fe) alloys for high temperature use, 227
Titanium aluminide
alloy modification of γ-base titanium aluminide for improved oxidation resistance, creep strength and fracture toughness, 451
creep in titanium aluminides, 427
different origins of grain size and composition effects on creep in TiAl, 433
effect of vanadium elevated temperature phase relations in titanium aluminides containing 44 at.% Al, 37
effects of hydrogen in titanium aluminide alloys, 578
homogeneity and mechanical properties of TiAl, 283
interaction of tantalum with reinforcements in γ TiAl, 662
microstructural evaluation of as-solidified and heat treated γ-TiAl based powders, 277
microstructural evolution and tensile properties of titanium-rich TiAl alloy, 269
microstructure of precipitation strengthened Ni_3Al and TiAl, 247
new concepts of analyzing plastic deformation of TiAl and Ni_3Al intermetallic compounds, 356
oxide properties of a γ-titanium: a surface science study, 584
phase relations in $TiAl_2$-based ternary titanium aluminides of iron or nickel, 67
studies of vacancies and dislocations in TiAl positron annihilation, 173
superplastic behavior of regular α_2 and super α_2 titanium aluminides, 457
the effect of orientation and lamellar structure on the plastic behavior of TiAl crystals, 81
the effects of HIP processing microstructure and phase relations in α_2 base titanium aluminides, 726
the initial oxidation of α_2 (Ti_3Al) and γ (TiAl) titanium aluminide alloys, 608
the phase transformations in alloys based on titanium aluminides Ti_3Al–V and TiAl–V, 31
Transmission electron microscopy
a transmission electron microscopy study of dislocation structures in a directionally solidified Ni_3Al-based alloy deformed at 850 °C, 208
Turbines
development of castable TiAl alloy for turbine components, 722

Unidirectional solidification
microstructure of Nb_2Al–$NbAl_3$ eutectic alloys produced by unidirectional solidification, 349

Vacuum hot pressing
producing Ni_3Al matrix composite material by vacuum hot pressing and heat treatment of nickel-plated aluminum sheets with Al_2O_3 fiber, 641
Vanadium
a study on long-term stability of Ti_3Al–Nb–V–Mo alloy, 422
design of Al_3(Ti,V,Zr) systems through phase stability calculations, 26
dissociation of superdislocations in single crystal $L1_0$Ti–Al–V compounds, 182
effect of vanadium elevated temperature phase relations in titanium aluminides containing 44 at.% Al, 37
effects of test environment and grain size on the tensile properties of $L1_2$-ordered $(Co,Fe)_3V$ alloys, 146
microstructure and tensile properties of a Ti_3Al–Nb–Mo–V alloy, 317
the phase transformations in alloys based on titanium aluminides Ti_3Al–V and TiAl–V, 31

Yield strength
the negative temperature dependence of yield strength in the $L1_2$ compound Fe_3Ge, 387
Yttrium
mechanical alloying of FeAl with Y_2O_3, 684

Zirconium
design of Al_3(Ti,V,Zr) systems through phase stability calculations, 26
improvement of hot workability of Ni_3Al–Cr–Zr–B ordered alloy, 377
phase stability in Be–Nb and Be–Nb–Zr intermetallics, 76